

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040243997"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:19
L2	415	(configuration adj setting\$1) near5 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L3	17	L2 with (field\$1 description\$1 condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L4	1186	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L5	0	L3 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L6	25	validat\$4 near3 (configuration adj setting\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L7	6	L6 near5 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L8	1	L7 same instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51

EAST Search History

L9	97	(validat\$7 authenticat\$7 approv\$4 authoriz\$7 confirm\$7 endors\$4 verif\$7) near3 (configuration adj setting\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L10	12	L9 near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L11	2929	(computer adj instruction\$1) near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L12	10	L11 near5 field\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L13	91	(configuration adj setting) near3 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L14	6	L13 with (first second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:51
L15	4013	common adj configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
L16	174	L15 with (program\$1 application\$1 (operating adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52

EAST Search History

L17	3	L16 same (validat\$7 authenticat\$7 approv\$4 authoriz\$7 confirm\$7 endors\$4 verif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
L18	104	(configuration adj setting) near3 (application\$1 program\$1 (operating adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
L19	2	L18 with ((second 2nd another) adj (application\$1 program\$1 (operating adj system\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
L20	3	((setup adj data) or (configuration adj setting\$1)) near5 ((first 1st) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
L21	3	L20 with ((second 2nd) adj (application program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
L22	28664	((first 1st) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
L23	24291	((second 2nd) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
L24	8078	L22 with L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52

EAST Search History

L25	4	L24 with ((configuration adj setting\$1) or (setup adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 16:52
S1	327	(configuration adj setting\$1) near5 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/26 15:18
S2	16	S1 with (field\$1 description\$1 condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 11:27
S3	1060	713/001,002,100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 11:27
S4	0	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 11:27
S5	24	validat\$4 near3 (configuration adj setting\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 08:14
S6	6	S5 near5 application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 08:05
S7	1	S6 same instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 08:04

EAST Search History

S8	77	(validat\$7 authenticat\$7 approv\$4 authoriz\$7 confirm\$7 endors\$4 verif\$7) near3 (configuration adj setting\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:39
S9	12	S8 near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 08:49
S10	120	read\$4 near3 (configuration adj setting\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 08:50
S11	22	S10 near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:03
S12	2561	(computer adj instruction\$1) near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:04
S13	4	S12 near5 attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:04
S14	9	S12 near5 field\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:16
S15	0	S14 near5 condition\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:05

EAST Search History

S16	71	(configuration adj setting) near3 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:17
S17	5	S16 with (first second)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:18
S18	26	(validat\$7 authenticat\$7 approv\$4 authoriz\$7 confirm\$7 endors\$4 verif\$7) near3 (configuration adj setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 13:53
S19	0	S18 with (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:41
S20	0	S18 near5 (application\$1 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 13:41
S21	0	(configuration adj setting\$1) near5 ((first 1st) adj application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:45
S22	15608	((first 1st) adj application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:29
S23	13655	((second 2nd) adj application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:29

EAST Search History

S24	2062	S22 near5 S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:28
S25	0	S24 near5 (configuration adj setting\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:28
S26	26521	((first 1st) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:29
S27	22457	((second 2nd) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:29
S28	7339	S26 with S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:30
S29	1	S28 with (configuration adj setting\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:43
S30	3	S28 with ((configuration adj setting\$1) or (setup adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:44
S31	3	((setup adj data) or (configuration adj setting\$1)) near5 ((first 1st) adj application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:46

EAST Search History

S32	3	((setup adj data) or (configuration adj setting\$1)) near5 ((first 1st) adj (program application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:49
S33	3	S32 with ((second 2nd) adj (application program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 12:49
S34	3703	common adj configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 13:47
S35	94	S34 with (program application (operating adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 13:48
S36	158	S34 with (program\$1 application\$1 (operating adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 15:26
S37	15	S36 same (field\$1 attribute\$1 condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 13:52
S38	3	S36 same (validat\$7 authenticat\$7 approv\$4 authoriz\$7 confirm\$7 endors\$4 verif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 13:53
S39	83	(configuration adj setting) near3 (application\$1 program\$1 (operating adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 15:30

EAST Search History

S40	0	(configuration adj setting) near3 ((second 2nd another) adj (application\$1 program\$1 (operating adj system\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 15:31
S41	1	S39 with ((second 2nd another) adj (application\$1 program\$1 (operating adj system\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 15:36
S42	53	(configuration adj setting) near5 (field description condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 15:37